



DOUBLE SIDED MOULDING TAPE



DOUBLE SIDED MOULDING TAPE


High density double sided foam tape

Suitable for a wide range of substrates


The Double Sided Moulding Tape is ideal for body mouldings and badges where mechanical fastening are unsuitable



Medium density foam backing



High strength adhesive



100° C temperature resistance



Product Sheet

DOUBLE SIDED MOULDING TAPE

Features and Benefits

Excellent adhesion



Good mechanical strength

High density foam



Reproduces OEM finish

Substrates

Clear Coats

Plastic

Gel Coat

Composite

Applications

Fixing body mouldings, trims and badges

Trim fixing

Badge fixing



Product Sheet

DOUBLE SIDED MOULDING TAPE

Suited for



Automotive Refinishing



Composite Industries

Technical Specifications

Colour	Black	Black	Black	Black	Black	Black
Width	6 mm	9 mm	12 mm	19 mm	25 mm	50 mm
Length	10 m	10 m	10 m	10 m	10 m	5 m
Adhesive	Acrylic	Acrylic	Acrylic	Acrylic	Acrylic	Acrylic
Thickness	1,0 mm	1,0 mm	1,0 mm	1,0 mm	1,0 mm	1,0 mm
Temperature Range	-10°C to 100°C	-10°C to 100°C	-10°C to 100°C	-10°C to 100°C	-10°C to 100°C	-10°C to 100°C
Package Qty.	1	1	1	1	1	1